

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30847	servo near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:19
L2	2471	(servo adj3 pattern\$1) near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L3	32621	track\$3 adj3 (pitch\$3 or width\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L4	4412	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L5	941	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L6	390451	(disc\$1 or disk\$1) adj3 (drive\$1 or device\$1 or apparatus or unit\$1 or storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L7	2845	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L8	714	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22

L9	0	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 near15 (outer adj3 periphery)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:26
L10	1	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (predetermined adj3 (area or position\$1)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L11	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:33
L12	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (((TPI adj3 ID) same (sector adj3 ID)) or (track\$1 adj3 (pitch or width\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:39
L13	79	(seek\$3 adj3 control\$3) same (track\$1 adj3 (pitch or width\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L14	1	(tpi adj3 id) same (sector\$1 adj3 id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L15	207	("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L16	1	13 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:33

L17	2616	((track\$1 adj3 pitch\$1) or (tpi adj3 id)) same (record\$3 or writ\$3 or sav\$4) same (read\$3 or writ\$3 or seek\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:42
L18	1624	((track\$1 adj3 pitch\$1) or (tpi adj3 id)) same (record\$3 or writ\$3 or sav\$4) same (read\$3 or writ\$3 or seek\$3) same (disc\$1 or disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 21:07
L19	180367	(load\$3 or unload\$3 or "load/unload") same (pitch\$1 or width\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:44
L20	100	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:44
L21	9	(track\$3 adj3 pitch\$1) same consistent same (width\$1 near6 head\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:45
L22	1	20 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:45
L23	7	18 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:47
L24	38	((track\$1 adj3 pitch\$1) or (tpi adj3 id)) same (record\$3 or writ\$3 or sav\$4) same (predetermined adj3 (area or position\$1)) same (disc\$1 or disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 21:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30847	servo near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:19
L2	2471	(servo adj3 pattern\$1) near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L3	32621	track\$3 adj3 (pitch\$3 or width\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L4	4412	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L5	941	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L6	390451	(disc\$1 or disk\$1) adj3 (drive\$1 or device\$1 or apparatus or unit\$1 or storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L7	2845	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L8	714	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22

L9	0	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 near15 (outer adj3 periphery)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:26
L10	1	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (predetermined adj3 (area or position\$1)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L11	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:33
L12	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (((TPI adj3 ID) same (sector adj3 ID)) or (track\$1 adj3 (pitch or width\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:39
L13	79	(seek\$3 adj3 control\$3) same (track\$1 adj3 (pitch or width\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L14	1	(tpi adj3 id) same (sector\$1 adj3 id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L15	207	("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L16	1	13 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:33

L17	2616	((track\$1 adj3 pitch\$1) or (tpi adj3 id)) same (record\$3 or writ\$3 or sav\$4) same (read\$3 or writ\$3 or seek\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:42
L18	1624	((track\$1 adj3 pitch\$1) or (tpi adj3 id)) same (record\$3 or writ\$3 or sav\$4) same (read\$3 or writ\$3 or seek\$3) same (disc\$1 or disk\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:46
L19	180367	(load\$3 or unload\$3 or "load/unload") same (pitch\$1 or width\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:44
L20	100	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:44
L21	9	(track\$3 adj3 pitch\$1) same consistent same (width\$1 near6 head\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:45
L22	1	20 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:45
L23	7	18 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 20:47

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30847	servo near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:19
L2	2471	(servo adj3 pattern\$1) near6 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L3	32621	track\$3 adj3 (pitch\$3 or width\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:20
L4	4412	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L5	941	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:21
L6	390451	(disc\$1 or disk\$1) adj3 (drive\$1 or device\$1 or apparatus or unit\$1 or storage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L7	2845	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22
L8	714	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:22

L9	0	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 near15 (outer adj3 periphery)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:26
L10	1	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (predetermined adj3 (area or position\$1)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L11	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (track\$1 adj3 (pitch or width\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:28
L12	38	((("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)) same (((TPI adj3 ID) same (sector adj3 ID)) or (track\$1 adj3 (pitch or width\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:30
L13	79	(seek\$3 adj3 control\$3) same (track\$1 adj3 (pitch or width\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L14	1	(tpi adj3 id) same (sector\$1 adj3 id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:31
L15	207	("self-servo" or (self adj3 servo)) adj3 (writ\$3 or record\$3 or form\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:32
L16	1	13 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:33